


Natural Stone / Granite / Portugal / Mara | Fuerana

# Mara Fuerana

Mara Fuerana, from Portugal, is a silver-grey/white granite for applications such as cladding, copings, kerbs, paving and setts.



SPECIFICATION	SKU: GRA-POR-MAR-007	
Material	Granite	
Finish	Bush Hammered, Flamed, Honed, Polished, Sandblasted, Sawn	
Density	-	2630 kg/m <sup>3</sup>
GWP (total) kgCO <sub>2</sub> e	ISO 14025 / EN 15804	0.035 per kg
Compressive Strength	BS EN 1926:2006	173 Mpa
Compressive Strength (Freeze/Thaw Resistance)	BS EN 1926:2006	183 / 190 Mpa
PPV (Before/After)	BS EN 7932:2003	NPD
Flexural Freeze/Thaw	BS EN 12371:2010	13.0 / 15.8 MPa
Flexural Strength	BS EN 12372:2006	12.1 MPa
Light Reflectance Value	BS EN 84369:2008	Bush Hammered 40.95 : Flamed 38.6 LRV
Open Porosity	BS EN 1936:2006	1.1%
Slip Resistance	BS EN 13036-4, BS 7976	Sawn 61 (wet), 66 (dry) SRV/USRV
Water Absorption	BS EN 13755:2008	0.35%
Abrasion Resistance	BS EN 14157:2004	16.5mm



Flamed



Specification & technical data aligns with our most recent testing, but is indicative and should be treated as such. Images are for illustrative purposes only, exact colours may vary.