



# **Hydro Lineo and XL**A Green Paving Solution





### **Hydro Lineo**A Green Paving Solution



Hydro Lineo includes three different models of concrete pavers. These three models have a uniform nominal outer size. The width of the widened joint is the only variation per model. The three different models can therefore be used individually as well as being mutually exchangeable. Thanks to the increasing width of the widened joint, the street scene shows Hydro Lineo in a smooth transition from a closed to an open pavement, and back again.

By varying the different Hydro Lineo models; hydrolineo closed, hydrolineo 22 and hydrolineo 40, you can arrange with lines and patterns within a spectrum. This ensures ample freedom of design. An example: the pavement surrounding plants and water areas gradually transforms into a greener environment. Also Hydro Lineo creates clear-cut walking lines so that the water-permeating pavement does not detract from navigation, even taking into account those people with reduced mobility. Available in Standard, Saxum and Ultimo finishes, in various colours.

### BENEFITS


- Growable surface 22% / 44%
- Water infiltration
- Mutually exchangeable
- Smooth transition from closed to open pavement
- Small spacers keep the ridges from shifting
- Exceptionally fast installation
- Many colours and textures
- Suitable for medium-heavy traffic



#### SPECIFICATION

 $\begin{array}{ll} \mbox{Dimensions} & 30 \times 10 \times 10 \mbox{ cm} \\ \mbox{Weight} & 6.9 \mbox{ kg} \\ \mbox{Number per m}^2 & 33.33 \mbox{ pieces} \\ \mbox{Growable surface} & 0\% \\ \mbox{Permeability (sand 0/2) *} & 0 \mbox{ l/sec/ha} \\ \end{array}$ 

\* indicative values



#### SPECIFICATIONS

 Dimensions
 30 x 10 x 10 cm


 Weight
 5.5 kg

 Number per m²
 33.33 pieces

 Growable surface
 22%

 Permeability (sand 0/2) \*
 220 l/sec/ha


\* indicative values



#### **SPECIFICATIONS**

 $\begin{array}{lll} \mbox{Dimensions} & 30 \times 10 \times 10 \mbox{ cm} \\ \mbox{Weight} & 4.5 \mbox{ kg} \\ \mbox{Number per m}^2 & 33.33 \mbox{ pieces} \\ \mbox{Growable surface} & 40\% \\ \mbox{Permeability (sand 0/2) *} & 400 \mbox{ l/sec/ha} \\ \end{array}$ 

\* indicative values






## **Hydro Lineo XL**A Green Paving Solution


The heavier Hydro Lineo XL version completes the existing 30 x 10 line. Hydro Lineo XL is a robust green addition to the range available in 60 x 30 dimension and in two open variants and one closed; hydrolineo XL 0, hydrolineo XL 25 and hydrolineo XL 50. Available in Standard and Saxum colours – see website for details.





#### Specifications

measurement	60 x 30 x 16 cm
weight	42.8 kg
Number per m²	5,55 pieces
texture	Standard / Saxum
Overgrown surface	50%



#### Specifications

60 x 30 x 16 cm
53.8 kg
5.55 pieces
Standard / Saxum
25%