



Test Data & Material Characteristics

Hardscape Products Ltd.

Date of Certificate

25


11/12/2025

BS EN 1339:2003 - Precast Concrete Paving Flags

Requirements and Test Methods

Commercial name:

Merrion



Place of manufacture:

County Down

Uses:

Internal and external flooring and / or roof covering

Declared Performance

Characteristics	Value	Testing Method Standard
Reaction to Fire	A1	BS EN 1338:2003 (5.3.6.1)
External Fire Performance	NPD	BS EN 1338:2003 (5.3.6.2)
Emission of asbestos	No ACMs Present	BS EN 1338:2003 (4.2)
Breaking strength	≥ 3.5 MPa	BS EN 1338:2003 (5.3.3.1&2)
Slip / skid resistance	> 45	BS EN 1338:2003 (5.3.5.1&2)
Thermal Conductivity	NPD	BS EN 1338:2003 (5.3.7)/ EN 13369
Durability	Satisfactory	BS EN 1338:2003 (5.3.3.3)
Light Reflectance Value	NPD	BS 8493:2008+A1:2010

All tests conform to the specific standard requirements and test methods for the material types as detailed above:

Signed:

Products are offered in line with the requirements of Attestation Level 4 as designated under the Construction Products Regulations (2011) Annex V. Type testing, routine testing and Factory Production Control documents have been developed and issued for this series of products.

Hardscape Products Ltd., Eagley House, Deakins Business Park, Egerton, Bolton, Lancashire, BL7 9RP

Telephone 01204 565 500

Email enq@hardscape.co.uk

Website: <https://hardscape.co.uk/>