

FLOR is a concrete bench presented in two formats, and coupled by means of a subtle play of similarities and differences. The optimistic design of this biomorphic, radial element allows for flexible use in pairs or individually, conserving the privacy of the user.

Concrete |  270 cm/máx. |  1745 kg |  5

 Update 25.11.2025



Mansilla + Tuñón

ORIGIN

The installation for the first time of the Flor benches in the courtyard leading to the Library and Archive building of the Regional Government of Madrid, an old «El Águila» brewery has allowed the architects to complete this space and meeting point for users of the different institutions that make up the true and authentic heart of the intervention.

DESIGN

The Flor bench design is based on the concepts of equality and diversity that form part of the studies that inspire the work of the architects Mansilla and Tuñón.

MODULAR

The aggregation of several Flor joined at their adjacent ends or scattered throughout the area creates a constellation of benches as a complex structure that, in itself, created a space in which users can communicate with each other.

MATERIAL

Concrete reinforced with stainless steel in an etched finish in the Escofet catalogue standard chart colour.

Installation

They simply rest on the paving, with no need for anchors.



FLOOR




1. Backless bench

Flor	Pequeña	Grande
Dimensions	189 x 170 x 42 cm	270 x 243 x 42 cm
Weight	1014 kg	1745 kg

1.1 General features

Material	Concrete Recycled Concrete	Fixing	Free-standing
Finish	Etched and waterproofed		


Colours




GR. Grey




NG. Black




BL. White




CA. Grey
CA



RA. Red



BG. Beige





EGR. Eco Grey ®


1.2 Installation system

Hoisting


(P=1014 kg / 1745 kg)




Big Flor



Small Flor



Aggregations





Warranty

5 years in all its components.


The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet
by Molins[®]



GA-2005/0072



SST-0090/2010



ER-0403/2016

