

SICURTA/SILLARGA

Gonzalo Milá + Juan Carlos Inés 1996

Escofet
by Molins[®]

SILLARGA is a chaise-longue made from a single piece of concrete that responds with high efficiency to the problem of its use in environments severely affected by vandalism or adverse weather conditions. Sillarga cries out for company, and this is provided by Sicurta, also made from reinforced concrete, which shares the comfort and ergonomic features of Sillarga.

Concrete |  58 cm/máx. |  320 kg |  1

 Update 15.07.2024



ORIGIN

The first installation of the Sillargas and Sicurtas units on the Mar Bella jetty was a gift from Escofet to Barcelona, the city to which the firm is closely bound. The group of chairs, all of them facing south, has become one of the images that have made the city popular as a tourist resort.

DESIGN

Coinciding with the idea of individualising site furnishings, Sillarga and Sicurta fulfil the premises of making objects accessible to users.

The design proposes a new way to use and occupy urban space, replacing the rigid linear, traditional arrangements with more flexible alternatives that facilitate spontaneous, gregarious relations.

MATERIAL

Concrete reinforced with stainless steel in an etched finish and in the Escofet standard chart colours.

INSTALLATION

Easy to lift and handle with slings, both models are anchored to the paving.










SICURTA/SILLARGA



Sillarga and Sicurta form part of the Mar Bella jetty in the imagery of the citizens of Barcelona.



1. Chairs and deck chairs

Sicurta / Sillarga			
Dimensions		Sicurta 65 x 80 x 58 cm	Sillarga 133 x 80 x 58 cm
Weight		Sicurta 240 kg	Sillarga 320 kg
1.1 General features			
Material	Reinforced concrete Recycled concrete	Fixing	Anchored with screws
Finish	Etched and waterproofed		
Colours			
			
	GR. Grey	NG. Black	BL. White
			
	CA. CA Grey	RA. Red	BG. Beige
			
	EGR. Eco-Grey®		


1.2 Installation system

Hoisting

(P=240 kg / 320 kg)


Installation

Tightly screw the 2 stud bolts M-16x140, drill pavement (Ø 14mm) and fill with resin or fat mortar. Center and caulk the bench foot all around.




1.3 Geometry

Sicurta



Sillarga





Warranty

5 years of warranty in concrete elements.


The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A
Head office and production

Montserrat, 162
E 08760 Martorell
Barcelona - España
T. 0034 937 737 150
F. 0034 937 737 151

info@escofet.com
www.escofet.com

Escofet
by Molins[®]



GA-2005/0072



SST-0090/2010



ER-0403/2016

